

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	109375	((network) adj1 (interface adapter card transceiver)) NIC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 11:16
S2	99	S1 AND ((interrupt) SAME ((count) NEAR3 (frame packet block)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 12:49
S3	1011	S1 AND ((interrupt) WITH (type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 12:49
S4	79	S1 AND ((interrupt) WITH ((packet frame) adj2 (type format header)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 13:25
S5	379	S1 AND (interrupt NEAR8 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 13:25
S6	325	S1 AND (interrupt NEAR6 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 13:25
S7	263	S1 AND (interrupt NEAR4 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 13:26
S8	233	S1 AND (interrupt NEAR3 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 15:56

S9	27	S1 AND (((multiple plurality two three) NEAR2 (protocol)) SAME (interrupt))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 13:42
S10	3	S1 AND (((match identify recognize matches identificatoin recognition identical) adj2 (protocol)) WITH (interrupt))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:32
S12	20126	ijima	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 15:56
S13	15771	ijima.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 15:56
S14	2	"5748915".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 16:06
S15	109375	((network) adj1 (interface adapter card transceiver)) NIC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 16:09
S16	8	S15 AND (((change new other switch different modify modification adjust) NEAR2 (protocol)) WITH (interrupt))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:32
S17	8	((match identify recognize matches identificatoin recognition identical) adj2 (protocol)) WITH (interrupt))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:35

S18	2	"5717932".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:36
S19	2	"6115776".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:35
S20	352	710/48.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:36
S21	143	710/48.ccls. AND Protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:39
S22	109375	((network) adj1 (interface adapter card transceiver)) NIC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:07
S23	963	S22 AND ("interrupt service routine" ISR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:08
S24	65	S22 AND ("interrupt service routine" ISR) SAME (protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:21
S25	159	S22 AND (interrupt) NEAR2 (protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:23